

neat.



Devices & spaces

Small to medium

< 5m / 17ft



neat.frame

- 113° HFOV
- 8x digital zoom
- 3 mic array
- Tweeter
- Woofer
- 15,6" touch screen



neat.board

- 120° HFOV
- 4x digital zoom
- 5 mic array
- Wide angle tweeter
- Opposing drivers
- 65" touch screen



neat.bar

- 120° HFOV
- 4x digital zoom
- 5 mic array
- Wide angle tweeter
- Opposing drivers
- Dual screen support

Medium to large

< 10m / 33ft



neat.bar pro

- 70° to 113° HFOV
- Up to 16x digital zoom
- 16 mic array
- 3 full range speakers
- Opposing drivers
- Triple screen support

Depending on lighting conditions, acoustic properties of materials and the geometry of the space, Neat devices may reach further.

Examples


Focus



neat.frame

- 113° HFOV
- 8x digital zoom
- 3 mic array
- Tweeter
- Woofer
- 15,6" screen


Huddle



neat.bar

- 120° HFOV
- 4x digital zoom
- 5 mic array
- Wide angle tweeter
- Opposing drivers
- Dual screen support


Huddle



neat.board

- 120° HFOV
- 4x digital zoom
- 5 mic array
- Wide angle tweeter
- Opposing drivers
- 65" screen


Meeting



neat.bar

- 120° HFOV
- 4x digital zoom
- 5 mic array
- Wide angle tweeter
- Opposing drivers
- Dual screen support


Meeting



neat.board

- 120° HFOV
- 4x digital zoom
- 5 mic array
- Wide angle tweeter
- Opposing drivers
- 65" screen

Large



neat.bar pro

- 70° and 113° HFOV
- Up to 16x digital zoom
- 16 mic array
- 3 full range speakers
- Opposing drivers
- Triple screen support